

**§ 640.73 Reporting of fatal donor reactions.**

If a donor has a fatal reaction which, in any way, may be associated with plasmapheresis the Director of the Center for Biologics Evaluation and Research shall be notified by telephone as soon as possible. If the facility is located outside of the continental United States, notification by cable or telegram shall be acceptable.

[41 FR 10770, Mar. 12, 1976, as amended at 49 FR 23834, June 8, 1984; 55 FR 11013, Mar. 26, 1990]

**§ 640.74 Modification of Source Plasma.**

(a) Upon approval by the Director, Center for Biologics Evaluation and Research, Food and Drug Administration, of a supplement to the biologics license application for Source Plasma, a manufacturer may prepare Source Plasma as a liquid product for a licensed blood derivative manufacturer who has indicated a need for a liquid product.

(b) Source Plasma Liquid shall meet all standards of the frozen Source Plasma except:

(1) Source Plasma Liquid shall be stored in nonleachable containers so that the containers and their components will not interact with the plasma contents under conditions of storage and use so as to alter the safety, quality, purity, or potency of the plasma and shall provide adequate protection against external factors that may cause deterioration or contamination.

(2) Source Plasma Liquid shall be shipped, stored and labeled for storage at a temperature of 10 °C or colder. An exception to the shipping or storage temperature shall be approved by the Director, Center for Biologics Evaluation and Research, Food and Drug Administration, based upon his receipt of substantial evidence to support another temperature. Such evidence may be submitted by either the licensed manufacturer of the Source Plasma Liquid or the manufacturer of the final blood derivative product who has requested the Source Plasma Liquid.

(3) The label for the Source Plasma Liquid shall be easily distinguished from that of the frozen product. Color

coding shall not be used for this purpose.

(4) The label affixed to each container of Source Plasma Liquid shall contain, in addition to the information required by § 640.70(a) but excluding § 640.70(a)(3), the name of the manufacturer of the final blood derivative product for whom it was prepared.

(5) Source Plasma Liquid shall be inspected immediately prior to issuance. If the color or physical appearance is abnormal, or there is any indication or suspicion of microbial contamination, the unit of Source Plasma Liquid shall not be issued.

[38 FR 32089, Nov. 20, 1973. Redesignated and amended at 41 FR 10770, Mar. 12, 1976; 49 FR 23834, June 8, 1984; 50 FR 4140, Jan. 29, 1985; 55 FR 11013, Mar. 26, 1990; 59 FR 49351, Sept. 28, 1994; 63 FR 16685, Apr. 6, 1998; 64 FR 56454, Oct. 20, 1999]

**§ 640.76 Products stored or shipped at unacceptable temperatures.**

(a) *Storage temperature.* (1) Except as provided in paragraph (a)(2) of this section, Source Plasma intended for manufacture into injectable products that is inadvertently exposed (i.e., an unforeseen occurrence in spite of compliance with good manufacturing practice) to a storage temperature warmer than -20 °C and colder than +10 °C may be issued only if labeled as "Source Plasma Salvaged." The label shall be revised before issuance, and appropriate records shall be maintained identifying the units involved, describing their disposition, and explaining fully the conditions that caused the inadvertent temperature exposure.

(2) Source Plasma intended for manufacture into injectable products that is exposed inadvertently (i.e., an unforeseen occurrence in spite of compliance with good manufacturing practice) to one episode of storage temperature fluctuation that is warmer than -20 °C and colder than -5 °C for not more than 72 hours is exempt from the labeling requirements of paragraph (a)(1) of this section, provided that the plasma has been and remains frozen solid. Appropriate records shall be maintained identifying the units involved, describing their disposition, explaining fully